

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S23 2	1	10/636004	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/25 11:34
S23 3	11	Bourges-Waldegg.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 17:22
S23 4	0	("2004/0111482").URPN.	USPAT	OR	ON	2007/01/23 17:18
S23 5	4	Bourges-Waldegg.in. Duponchel.in. Graf.in. Moser.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 08:03
S23 6	12327	Bourges-Waldegg.in. Duponchel.in. Graf.in. Moser.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 17:26
S23 7	17	S236 and @ad<"20020813" and "709"/\$.cccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/23 17:26
S23 8	1	"02405689.7"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 08:05
S23 9	0	"02405689.7"	EPO; DERWENT	AND	ON	2007/01/24 08:05
S24 0	0	"02405689"	EPO; DERWENT	AND	ON	2007/01/24 08:06
S24 1	6	Bourges-Waldegg	EPO; DERWENT	AND	ON	2007/01/24 08:06

EAST Search History

S24 2	0	("2006/0101422").URPN.	USPAT	OR	ON	2007/01/24 08:43
S24 3	0	("2004/0111482").URPN.	USPAT	OR	ON	2007/01/24 08:44
S24 4	0	("2006/0101422").URPN.	USPAT	OR	ON	2007/01/24 08:45
S24 5	0	("2006/0101422").URPN.	USPAT	OR	ON	2007/01/24 08:45
S24 6	0	content interfac\$4 output display screen control unit (stor\$4 near3 look\$4 near3 table) classif\$8 level unit pda headphone cell laptop rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 09:45
S24 7	29	content interfac\$4 output display screen control unit classif\$8 level unit pda headphone cell laptop rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 09:48
S24 8	24697	(stor\$4 near3 look\$4 near3 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 09:46
S24 9	29	content interfac\$4 output display screen control unit classif\$8 level pda headphone cell laptop rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 09:50
S25 0	30	content interfac\$4 output display control unit classif\$8 level pda headphone cell laptop rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 09:57
S25 1	1	content interfac\$4 output display (control near3 unit) (classif\$8 near3 (level or unit)) pda headphone cell laptop rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 09:59

EAST Search History

S25 2	36	content (control near3 unit) (classif\$8 near3 (level or unit)) (stor\$4 near3 look\$4 near3 table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 10:00
S25 3	13	content (control near3 unit) (classif\$8 near3 (level or unit)) (stor\$4 near3 look\$4 near3 table) @ad<"20020813" ("370"/\$.ccls. or "455"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 10:07
S25 4	10	(determin\$4 same content) (control near3 unit) (classif\$8 near3 (level or unit)) (stor\$4 near3 look\$4 near3 table) @ad<"20020813" ("370"/\$. ccls. or "455"/\$.ccls. or "709"/\$. ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 10:20
S25 5	15	(determin\$4 same content) (control near3 unit) (classif\$8 near3 (level or unit)) (stor\$4 near3 look\$4 near3 table) @ad<"20020813"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 10:53
S25 6	0	(determin\$4 same content) (control near3 unit) (classif\$8 near3 messag\$4) (stor\$4 near3 look\$4 near3 table) @ad<"20020813"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 10:54
S25 7	1	(determin\$4 same content) (control near3 unit) (classif\$8 with messag\$4) (stor\$4 near3 look\$4 near3 table) @ad<"20020813"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 10:56
S25 8	68	(determin\$4 same content) (control near3 unit) (classif\$8 with messag\$4) ("370"/\$.ccls. or "455"/\$.ccls. or "709"/\$.ccls.) @ad<"20020813"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 10:57

EAST Search History

S25 9	6077	(electronic\$5 near4 messag\$4) (switch\$4 or mulitplex\$4) (screen or display\$4) output	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 13:07
S26 0	1201	(electronic\$5 near4 messag\$4) (switch\$4 or mulitplex\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 14:05
S26 1	164	(electronic\$5 near4 messag\$4) (switch\$4 or mulitplex\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) content classif\$8 (portable or remote or pda or laptop) rout\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 14:15
S26 2	23	(electronic\$5 near4 messag\$4) (switch\$4 or mulitplex\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) content classif\$8 (portable or remote or pda or laptop) rout\$4 (((stor\$4 with look\$4) or hash\$4) with table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 14:27
S26 3	20	(electronic\$5 near4 messag\$4) (switch\$4 or mulitplex\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) content classif\$8 (portable or remote or pda or laptop) rout\$4 (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 14:34
S26 4	20	(electronic\$5 near4 messag\$4) (switch\$4 or mulitplex\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.) content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 14:36

EAST Search History

S26 5	20	(electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$. ccls. or "455"/\$.ccls. or "370"/\$. ccls.) content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 17:05
S26 6	3	(electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) ((determin\$4 or availab\$6) near4 output) @ad<"20020813" ("709"/\$. ccls. or "455"/\$.ccls. or "370"/\$. ccls.) content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 14:44
S26 7	1	(electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) ((determin\$4 or availab\$6) near4 output) @ad>"20020813" ("709"/\$. ccls. or "455"/\$.ccls. or "370"/\$. ccls.) content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 14:51
S26 8	3	(electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) ((determin\$4 or availab\$6) near4 output) @ad<"20020813" ("709"/\$. ccls. or "455"/\$.ccls. or "370"/\$. ccls.) content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 14:51
S26 9	22280	(fixed near3 mobil\$4 near3 convergenc\$3) or fmc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 17:36

EAST Search History

S27 0	0	(electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$. ccls. or "455"/\$.ccls. or "370"/\$. ccls.) content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit) ((fixed near3 mobil\$4 near3 convergenc\$3) or fmc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 17:06
S27 1	20	(electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) output @ad<"20020813" ("709"/\$. ccls. or "455"/\$.ccls. or "370"/\$. ccls.) content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway or ((fixed near3 mobil\$4 near3 convergenc\$3) or fmc)) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 17:08
S27 2	46	(electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) output @ad<"20020813" content classif\$8 (portable or remote or pda or laptop) (rout\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway or ((fixed near3 mobil\$4 near3 convergenc\$3) or fmc)) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 17:18
S27 3	46	(electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) output @ad<"20020813" content classif\$8 (portable or remote or pda or laptop) (rout\$4 or adapt\$4 or interfac\$4 or connect\$4 switch\$4 or multitplex\$4 or gateway or ((fixed near3 mobil\$4 near3 convergenc\$3) or fmc)) (((stor\$4 with look\$4) or hash\$4) with table) (control near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 17:25

EAST Search History

S27 4	223	(electronic\$5 near4 messag\$4) (screen or display\$4 or terminal) output @ad<"20020813" content classif\$8 (portable or remote or pda or laptop) (rout\$4 or adapt\$4 or interfac\$4 or connect\$4 switch\$4 or multiplex\$4 or gateway or ((fixed near3 mobil\$4 near3 convergenc\$3) or fmc)) (control near3 unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 17:25
S27 5	56650	tagged	US-PGPUB; USPAT; USOCR	OR	ON	2007/01/24 17:32
S27 6	69	((fixed near3 mobil\$4 near3 convergenc\$3) or fmc) @ad<"20020813" ("709"/\$.ccls. or "455"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/01/24 17:37